No. 382

Patons KNITTING BOOK

No. 382



P&B WOOLS

"ALAN" – See page 9

1/6 d.

Dick

IN THREE SIZES
WITH OR WITHOUT SLEEVES

PATONS BLUEBELL CREPE

Size A. 35 inch chest.
With Sleeves, **18 ozs.** Without Sleeves, **11 ozs.**

Size B. 38 inch chest.
With Sleeves, **19 ozs.** Without Sleeves, **12 ozs.**

Size C. 41 inch chest.
With Sleeves, **19 ozs.** Without Sleeves, **13 ozs.**

Length from top of shoulder.
Size A, 23 ins. **Size B,** 24½ ins. **Size C,** 25½ ins.

Length of sleeve from underarm
(All sizes) 20 ins. (or length desired)

Parfrey Knitting Needles. 1 pair each Nos 9 and 12, measured on a Beehive Needle Gauge.

One Cable Needle.

ABBREVIATIONS: See page 17. C.3 = Cable 3 by slipping next 3 sts. on to cable needle and leaving at front of work. K.3 = knit sts. from cable needle. M.H. = Make herring bone by P.2 tog., but do not slip sts. off left-hand needle, purl into first of these 2 sts. once, slip both sts. off left-hand needle.

TENSION: To get these measurements it is absolutely necessary to work at a tension to produce 13½ stitches to 2 inches in width on No. 9 Needles. Check tension—see page 17.

Instructions are for smallest size A. Larger sizes B and C are shown thus. [*B*—....], [*C*—.....].

THE PULLOVER WITH SLEEVES.

THE FRONT—Using No. 12 Needles, cast on 122 [**B**—132] [**C**—142] stitches.

1st row.—K.2, * P.1, K.1, rep. from * to end of row. Rep. 1st row thirty-eight times.

40th row.—Work 2 [**B**—7] [**C**—5] sts. in rib, * inc. once in next st., work 8 [**B**—8] [**C**—9] sts. in rib, rep. from * to last 3 [**B**—8] [**C**—7] sts., inc. once in next st., work 2 [**B**—7] [**C**—6] sts. in rib. (136 [**B**—146] [**C**—156] sts.)

Using No. 9 Needles, proceed as follows:

** **1st row.**—K.10, [**B**—K.13] [**C**—K.16], * P.2, K.2, P.1, K.2, P.2, K.14, P.2, K.2, P.1, K.2, P.2, K.10 [**B**—K.12] [**C**—K.14], rep. from * to last 42 [**B**—45] [**C**—48] sts., P.2, K.2, P.1, K.2, P.2, K.14, P.2, K.2 P.1, K.2, P.2, K.10, [**B**—K.13] [**C**—K.16].

2nd and alt. rows.—P.10, [**B**—P.13] [**C**—P.16], * K.2, M.H., K.1, M.H., K.2, P.14, K.2, M.H., K.1, M.H., K.2, P.10, [**B**—P.12] [**C**—P.14], rep. from * to last 42 [**B**—45] [**C**—48] sts., K.2, M.H., K.1, M.H., K.2, P.14, K.2, M.H., K.1, M.H., K.2, P.10, [**B**—P.13] [**C**—P.16].

3rd row.—K.10, [**B**—K.13] [**C**—K.16], * P.2, K.2, P.1, K.2, P.2, C.3, K.2, C.3, P.2, K.2, P.1, K.2, P.2, K.10, [**B**—K.12] [**C**—K.14], rep. from * to last 42 [**B**—45] [**C**—48] sts., P.2, K.2, P.1, K.2, P.2, C.3, K.2 C.3, P.2, K.2, P.1, K.2, P.2, K.10, [**B**—K.13] [**C**—K.16].

5th row.—Like 1st row.

7th row.—K.10, [**B**—K.13] [**C**—K.16], * P.2, K.2, P.1, K.2, P.2, K.4, C.3, K.4, P.2, K.2, P.1, K.2, P.2, K.10 [**B**—K.12] [**C**—K.14], rep. from * to last 42 [**B**—45] [**C**—48] sts., P.2, K.2, P.1, K.2, P.2, K.4, C.3, K.4 P.2, K.2, P.1, K.2, P.2, K.10, [**B**—K.13] [**C**—K.16]

8th row.—Like 2nd row. **

[*Continued on page 12*

Geoff

IN THREE SIZES
WITH OR WITHOUT SLEEVES

PATONS BLUEBELL CREPE



Size A. 36 inch chest.
With Sleeves, 16 ozs. Without Sleeves, 10 ozs.
Size B. 39 inch chest.
With Sleeves, 17 ozs. Without Sleeves, 11 ozs.
Size C. 42 inch chest.
With Sleeves, 20 ozs. Without Sleeves, 13 ozs.

Length from top of shoulder.
Size A, 23 ins. **Size B,** 24 ins. **Size C,** 25½ ins.

Length of sleeve from underarm **(All Sizes),** 20 ins. (or length desired).

Parfrey Knitting Needles, 1 pair each Nos. 9 and 12, one set of four No. 12, measured on a Beehive Needle Gauge.

One Cable Needle.

One Stitch Holder.

ABBREVIATIONS: See page 17.

TENSION: To get these measurements it is absolutely necessary to work at a tension to produce 13½ stitches to 2 inches in width on No. 9 Needles. Check tension—see page 17.

Instructions are for smallest size A. Larger sizes B and C are shown thus: [B—.....]. [C—.....].

THE PULLOVER WITH SLEEVES.

THE FRONT—Using No. 12 Needles, cast on 114 **[B—124] [C—134]** stitches.

1st row.—K.2, * P.1, K.1, rep. from * to end of row.

Rep. 1st row forty times.

42nd row.—Work 4 **[B—2] [C—7]** sts. in rib, * inc. once in next st., rib 6 **[B—7] [C—7]** sts., rep. from * to last 4 **[B—2] [C—7]** sts., work 4 **[B—2] [C—7]** sts. in rib. (129 **[B—139] [C—149]** sts.)

Using No. 9 Needles, proceed as follows:—

** **1st row.**—K.1, * K.4, slip next st. on cable needle, and leave at back of work, knit next 2 sts., knit st. from cable needle (this will now be termed "Twist" throughout), K.3, rep. from * to last 8 sts., K.4, "Twist," K.1.

2nd row.—K.1, * K.1, P.2, K.4, P.1, K.1, P.1, rep from * to last 8 sts., K.1, P.2, K.5.

3rd row.—K.1, * K.3, "Twist," K.4, rep. from * to last 8 sts., K.3, "Twist," K.2.

4th row.—K.1, * K.2, P.2, K.3, P.1, K.1, P.1, rep. from * to last 8 sts., K.2, P.2, K.4.

5th row.—K.1, * K.2, "Twist," K.5, rep. from * to last 8 sts., K.2, "Twist," K.3.

6th row.—K.1, * K.3, P.2, K.2, P.1, K.1, P.1, rep. from * to last 8 sts., K.3, P.2, K.3.

7th row.—K.1, * K.1, "Twist," K.6, rep. from * to last 8 sts., K.1, "Twist," K.4.

8th row.—K.1, * K.4, P.2, (K.1, P.1), twice, rep. from * to last 8 sts., K.4, P.2, K.2.

9th row.—K.1, * "Twist," K.7, rep. from * to last 8 sts., "Twist," K.5.

10th row.—K.1, * K.7, P.1, K.1, P.1, rep. from * to last 8 sts., K.8. **

Rep. from ** to ** ten **[B—eleven] [C—twelve]** times. **B** and **C** only.—Rep. from ** to 6th row incl. once.

Cast off 5 **[B—7] [C—9]** sts. at beg. of next 2 rows, then dec. once at each end of needle in next and every alt. row, until 105 **[B—109] [C—113]** sts. remain. ***

[*Continued on page 13*





Kevin

IN TWO SIZES
WITH ROUND OR POLO NECK

PATONS TOTEM KNITTING WOOL

Size A. 37-38 inch chest.
Round Neck .... **21 ozs.** **Polo Neck** .... **22 ozs.**
Size B. 41-42 inch chest.
Round Neck .... **24 ozs.** **Polo Neck** .... **24 ozs.**
Length from top of shoulder.
Size A .... 24 ins. **Size B** .... 25 ins.
Length of sleeve from underarm **(Both Sizes)** 20 ins. (or length desired).
Parfrey Knitting Needles, 1 pair each Nos. 7 and 10, and a set of four No. 10, measured on a Beehive Needle Gauge.
Two Stitch Holders.

ABBREVIATIONS: See page 17.

TENSION: To get these measurements it is absolutely necessary to work at a tension to produce 11½ stitches to 2 inches in width on No. 7 Needles. Check tension—see page 17.

Instructions are for smaller size A. Larger size B is shown thus: [*B*—.....].

THE FRONT—Using No. 10 Needles, cast on 102 [**B**—120] stitches.

1st row.—K.2, * P.1, K.1, rep. from * to end of row. Rep. 1st row thirty-nine times, inc. once at end of needle in last row. (103 [**B**—121] sts.)

Using No. 7 Needles, proceed as follows:—

** **1st row.**—* P.4, K.5, rep. from * to last 4 sts., P.4.

2nd row.—* K.4, (P.1, K.1), twice, P.1, rep. from * to last 4 sts., K.4 **

Continue in pattern as given from ** to **, until work measures 15½ [**B**—16½] ins. from commencement, ending with 2nd row.



Cast off 4 [**B**—7] sts. at beg. of next 2 rows, then dec. once at each end of needle in next and every alt. row, until 85 [**B**—95] sts. remain. ***

Work 39 [**B**—41] rows without shaping.

In next row.—Work 34 [**B**—38] sts. in patt., turn.

Continue on these 34 [**B**—38] sts., dec. once at neck edge in every alt. row, until 27 [**B**—31] sts. remain.

Work 4 rows without shaping.

Shape shoulder as follows:—

1st row.—Work to last 7 [**B**—8] sts., turn.

2nd and 4th rows.—Work to end of row.

3rd row.—Work to last 14 [**B**—16] sts., turn.

5th row.—Work to last 21 [**B**—24] sts., turn.

6th row.—Like 2nd row. Cast off.

Slip next 17 [**B**—19] sts. on to a stitch holder, and join in wool at neck edge, and work to correspond with other side.

THE BACK—Work exactly as given for Front to ***.

Continue in patt. without shaping, until armholes measure same as Front armholes.

Shape shoulders as follows:—

1st and 2nd rows.—Work to last 7 [**B**—8] sts., turn.

3rd and 4th rows.—Work to last 14 [**B**—16] sts., turn.

5th and 6th rows.—Work to last 21 [**B**—24] sts., turn.

7th row.—Work to end of row.

8th row.—Cast off 27 [**B**—31] sts., work 31 [**B**—33] sts. in patt., cast off 27 [**B**—31] sts., slip remaining sts. on to a stitch holder.

[*Continued on page 14*

Murray

IN THREE SIZES—WITH "V" OR POLO NECK
WITH OR WITHOUT SLEEVES

PATONS TOTEM KNITTING WOOL

To fit **Size A** 36-37, **Size B** 39-40, **Size C** 42-43 inch chest.

"V" Neck.

Size A. With Sleeves .... **20 ozs.**
Without Sleeves .... **12 ozs.**
Size B. With Sleeves .... **22 ozs.**
Without Sleeves .... **14 ozs.**
Size C. With Sleeves .... **23 ozs.**
Without Sleeves .... **14 ozs.**

Polo Neck.

Size A, 20 ozs. Size B, 23 ozs. Size C, 23 ozs.

Length from top of shoulder.

Size A, 24 ins. **Size B,** 25 ins. **Size C,** 25½ ins.

Length of sleeve from underarm **(All Sizes),** 20 ins. (or length desired).

Parfrey Knitting Needles, 1 pair each **Nos. 7** and 11, one set of four No. 11, measured on a Beehive Needle Gauge.

One Stitch Holder.

ABBREVIATIONS: See page 17.

TENSION: To get these measurements it is absolutely necessary to work at a tension to produce 11½ stitches to 2 inches in width on No. 7 Needles. Check tension, see page 17.

Instructions are for smallest size A. Larger sizes B and C are shown thus: [*B*—.....], [*C*—.....].

THE "V" NECK PULLOVER WITH SLEEVES.

THE FRONT—Using No. 11 Needles, cast on 98 **[B**—106] **[C**—114] stitches.

1st row.—K.2, * P.1, K.1, rep. from * to end of row.

Rep. 1st row thirty-three times.

Using No. 7 Needles, proceed as follows:—

** **1st row.**—**[B**—K.3, P.1], * P.3, K.4, P.4, K.4, P.1, rep. from * to last 2 **[B**—6] **[C**—2] sts., P.2, **[B**—P.3, K.3] **[C**—P.2].

2nd row.—**[B**—P.4], * K.2, P.4, K.6, P.4, rep. from * to last 2 **[B**—6] **[C**—2] sts., K.2, **[B**—K.2, P.4] **[C**—K.2].

3rd row.—**[B**—K.4], * P.2, K.3, (P.2, K.1), twice, P.2, K.3, rep. from * to last 2 **[B**—6] **[C**—2] sts., P.2, **[B**—P.2, K.4] **[C**—P.2].

4th row.—* K.2, P.2, rep. from * to last 2 sts., K.2.

5th row.—**[B**—K.1, P.2, K.1], * P.2, K.1, (P.2, K.3), twice, P.2, K.1, rep. from * to last 2 **[B**—6] **[C**—2] sts., P.2, **[B**—P.2, K.1, P.2, K.1] **[C**—P.2].

6th row.—**[B**—P.2, K.2], * K.4, P.4, K.2, P.4, K.2, rep. from * to last 2 **[B**—6] **[C**—2] sts., K.2, **[B**—K.4, P.2] **[C**—K.2]. **

Rep. from ** to ** thirteen **[B**—fourteen] **[C**—fifteen] times.

Cast off 6 **[B**—7] **[C**—8] sts. at beg. of next 2 rows. ***

In next row.—K.2 tog., work 41 **[B**—44] **[C**—47] sts. in patt., turn.

Continue in patt. on these 42 **[B**—45] **[C**—48] sts., dec. once at armhole edge in every alt. row, five times, whilst at same time dec. once at neck edge in every following 4th row, twice. (35 **[B**—38] **[C**—41] sts.)

Continue dec. at neck edge only in 2nd and every following 4th row, until 22 **[B**—24] **[C**—26] sts. remain.

[*Continued on page 15*

Phillip

IN THREE SIZES
WITH OR WITHOUT SLEEVES

PATONS PATONYLE KNITTING YARN
PATONISED, Shrink-Resistant

Size A. 36-37 inch chest.
With Sleeves, 12 ozs. Without Sleeves, 7 ozs.
Size B. 38-39 inch chest.
With Sleeves, 12 ozs. Without Sleeves, 8 ozs.
Size C. 40-41 inch chest.
With Sleeves, 14 ozs. Without Sleeves, 9 ozs.

Length from top of shoulder.
Size A, 23½ ins. **Size B,** 24 ins. **Size C,** 25 ins.

Length of sleeve from underarm **(All Sizes),** 20 ins. (or length desired).

Parfrey Knitting Needles, 1 pair each Nos. 10 and 12, measured on a Beehive Needle Gauge.

ABBREVIATIONS: See page 17. Twist A = Knit into front of 2nd st. on left-hand needle, then knit into front of 1st st., slip both sts. off needle together. Twist B = Purl into front of 2nd st. on left-hand needle, then purl into front of 1st st., slip both sts. off needle together.

TENSION: To get these measurements it is absolutely necessary to work at a tension to produce 8 stitches to the inch in width on No. 10 Needles. Check tension—see page 17.

Instructions are for smallest size A. Larger sizes B and C are shown thus: [*B*——], [*C*——],

THE PULLOVER WITH SLEEVES.

THE FRONT—Using No. 12 Needles, cast on 152 [**B**—164] [**C**—176] stitches.

1st row.—K.2, * P.1, K.1, rep. from * to end of row.

Rep. 1st row forty-nine times.

Using No. 10 Needles, proceed as follows:—

** **1st row.**—K.1, P.2, K.6, [**B**—P.2, K.6] [**C**—P.1, K.6], * P.2, ("Twist A"), twice, P.2, K.6, rep. from * to last 3 [**B**—2] [**C**—1] sts., P.2, K.1, [**B**—P.2] [**C**—P.1].

2nd row.—P.1, K.2, P.6, [**B**—K.2, P.6] [**C**—K.1, P.6], * K.2, ("Twist B"), twice, K.2, P.6, rep. from * to last 3 [**B**—2] [**C**—1] sts., K.2, P.1, [**B**—K.2] [**C**—K.1]. **

Rep. from ** to **, until work measures 15 [**B**—15½] [**C**—16] ins. from commencement, ending with 2nd row.

Cast off 8 [**B**—10] [**C**—11] sts. at beg. of next 2 rows. ***

In next row.—K.2 tog., work 64 [**B**—68] [**C**—73] sts. in patt., K.2 tog., turn.

Continue on these 66 [**B**—70] [**C**—75] sts., dec. once at beg. of needle in every alt. row, seven [**B**—eight] [**C**—nine] times, whilst at same time dec. once at neck edge in every 4th row, three [**B**—four] [**C**—four] times. (56 [**B**—58] [**C**—62] sts.)

Continue dec. at neck edge only in 2nd [**B**—4th] [**C**—2nd] and every following 4th row, until there are 38 [**B**—40] [**C**—42] sts. on needle.

Work 0 [**B**—4] [**C**—2] rows without shaping.

Shape shoulder as follows:—

1st row.—Work to last 9 [**B**—10] [**C**—10] sts., turn.

2nd and 4th rows.—Work to end of row.

3rd row.—Work to last 18 [**B**—20] [**C**—20] sts., turn.

5th row.—Work to last 28 [**B**—30] [**C**—31] sts., turn.

6th row.—Like 2nd row. Cast off.

Join in wool at neck edge, and work on remaining sts. to correspond with other side.

THE BACK—Work exactly as given for Front to ***.

[*Continued on page 16*

Wayne

IN THREE SIZES

PATONS BEEHIVE FINGERING, 4-Ply—PATONISED, Shrink-Resistant

Size A .... 35-36 inch chest .... **13 ozs.**
Size B .... 39-40 inch chest .... **15 ozs.**
Size C .... 43-44 inch chest .... **16 ozs.**

Length from top of shoulder.

Size A, 23 ins. **Size B,** 24½ ins. **Size C,** 25½ ins.

Length of sleeve from underarm.

All Sizes .... 20 ins. (or length desired)

Parfrey Knitting Needles, 1 pair each Nos. 10 and 12, measured on a Beehive Needle Gauge.

Two Stitch Holders.

Nine [**B**—Ten] [**C**—Eleven] Medium Beutron Buttons.

ABBREVIATIONS: See page 17.

TENSION: To get these measurements it is absolutely necessary to work at a tension to produce 7½ stitches to the inch in width on No. 10 Needles. Check tension—see page 17.

Instructions are for smallest size A. Larger sizes B and C are shown thus: [*B*—.....] [*C*—.....].

THE POCKET LININGS—Using No. 10 Needles, cast on 37 stitches.

1st row.—* P.1, K.1, rep. from * to last st., P.1.

2nd row.—Purl.

Rep. 1st and 2nd rows eighteen times, then 1st row once.

Break off wool, leave these sts. on a stitch holder.

Work another Pocket Lining in same manner.

THE RIGHT FRONT—Using No. 12 Needles, cast on 62 [**B**—70] [**C**—78] stitches.

1st row.—K.2, * P.1, K.1, rep. from * to end of row.

Rep. 1st row twenty-one times, inc. once at beg. of needle in last row.

Using No. 10 Needles, proceed as follows:—

1st row.—* K.1, P.1, rep. from * to last st., K.1.

2nd row.—Purl.

Rep. 1st and 2nd rows sixteen times.

Proceed as follows:—

1st row.—Work 13 [**B**—17] [**C**—21] sts. in patt., (K.1, P.1), eighteen times, K.1, work in patt. to end of row.

2nd row.—Work 13 [**B**—17] [**C**—21] sts. in patt., (P.1, K.1), eighteen times, P.1, work in patt. to end of row.

Rep. 1st and 2nd rows once.

5th row.—Work 13 [**B**—17] [**C**—21] sts. in patt., cast off 37 sts. in rib, work in patt. to end of row.

6th row.—Work 13 [**B**—17] [**C**—21] sts. in patt., slip 37 pocket sts. from stitch holder on to left-hand needle, work in patt. to end of row.

Continue in patt., until work measures 14¾ [**B**—16¾] [**C**—16¾] ins. from commencement, ending with 1st row of patt.

Next row.—Cast off 6 [**B**—10] [**C**—14] sts., work in patt. to last 2 sts., K.2 tog.

Continue in patt., dec. once at end of needle in next and every alt. row, eight times, whilst at same time dec. once at front edge in every following 6th row, twice. (45 [**B**—49] [**C**—53] sts.)

Continue dec. at front edge only in next and every following 6th row, until 36 [**B**—38] [**C**—41] sts. remain.

Work 6 rows without shaping in **A** only.

Shape shoulder as follows:—

1st row.—Work to last 9 [**B**—10] [**C**—10] sts., turn.

2nd and 4th rows.—Work to end of row.

3rd row.—Work to last 18 [**B**—20] [**C**—20] sts., turn.

5th row.—Work to last 27 [**B**—30] [**C**—31] sts., turn.

6th row.—Like 2nd row. Cast off.

[*Continued on page 17*



Frank

IN TWO SIZES

PATONS BLUEBELL CREPE

Size A. 36-37 inch chest.
Grey, 14 ozs. Red, 3 ozs. Green, 3 ozs.

Size B. 38-39 inch chest.
Grey, 16 ozs. Red, 3 ozs. Green, 3 ozs.

Length from top of shoulder.
Size A, 23 ins. **Size B,** 24½ ins.

Length of sleeve from underarm.
Both Sizes, 19½ ins.

Parfrey Knitting Needles, 1 pair each Nos. 9 and 12, measured on a Beehive Needle Gauge.

ABBREVIATIONS.—See page 17. R. = Red. G = Green.

TENSION: To get these measurements it is absolutely necessary to work at a tension to produce 13½ stitches to 2 inches in width on No. 9 Needles. Check tension—see page 17.

Instructions are for smaller size A. Larger size B is shown thus: [*B*—.....].

THE FRONT—Using No. 12 Needles and Grey Wool, cast on 132 [**B**—140] stitches.

1st row.—K.2, * P.1, K.1, rep. from * to end of row.

Rep. 1st row thirty-four [**B**—forty] times.

Next row.—Rib 6 [**B**—rib 4], * inc. once in next st., rib 9 [**B**—rib 10], rep. from * to last 6 [**B**—4] sts., inc. once in next st., rib 5 [**B**—rib 3]. (145 [**B**—153] sts.)

Using No. 9 Needles, proceed as follows:—
1st row.—Knit plain. **2nd row.**—Purl.

Rep. 1st and 2nd rows once [**B**—three times].

** Join in G and R, and proceed from chart as follows:—

Size A. Work 16 patt. sts. nine times across, and last st. on K. rows and first st. on P. rows as indicated.

Size B. Work 4 sts., then work 16 patt. sts. nine times across, then 5 sts. as indicated.

Using Grey, work 12 rows in plain smooth fabric.

Work 10 rows in patt., working R in place of G and G in place of R.

[*Continued on page 18*



Last st. on K. rows
First st. on P. rows

CHART FOR SIZE A



Last st. on K. rows
First st. on P. rows

CHART FOR SIZE B

Alan

ILLUSTRATED ON FRONT COVER.

PATONS BEEHIVE FINGERING, 4-PLY—PATONISED, Shrink-Resistant

To fit 40-41 inch chest. Length from top of shoulder, 24½ ins.
Natural 8 ozs. Rust 1 oz. Pale Green 1 oz. Dark Green 1 oz. Yellow 1 oz. Nigger 1 oz.
Parfrey Knitting Needles, 1 pair each Nos. 9 and 12, measured on a Beehive Needle Gauge.
One Stitch Holder.

ABBREVIATIONS: See page 17.

TENSION: To get these measurements it is absolutely necessary to work at a tension to produce 7½ stitches to the inch in width on No. 9 Needles. Check tension —see page 17.

NOTE: Pattern is worked in by twisting the two colours of wool on wrong side of fabric, i.e., colour in use is twisted under and over the colour not in use, latter being left at a loose tension to allow correct elasticity to fabric.

THE FRONT—Using No. 12 Needles and Natural, cast on 160 stitches.

1st row.—K.2, * P.1, K.1, rep. from * to end of row.

Rep. 1st row forty-five times, inc. once at end of needle in last row. (161 sts.)

Using No. 9 Needles, work Fair Isle patt. from chart, working rows 1-80 incl. once, then 1-6 incl. once, reading knit rows from right to left and purl rows from left to right.

Keeping continuity of Fair Isle patt., cast off 10 sts. at beg. of next 2 rows. (141 sts.) **

In next row.—K.2 tog., work 67 sts. in patt., K.2 tog., turn (leave remaining sts. on a stitch holder).

Continue in patt. on these 69 sts., dec. once at beg. of every alt. row, eleven times, whilst at same time dec. once at neck edge in every following 3rd row, seven times. (51 sts.)

Continue dec. at neck edge only in 2nd and every following 3rd row, until 34 sts. remain.

Work 16 rows without shaping.

Shape shoulder as follows:—

1st row.—Work to last 8 sts., turn.

2nd and 4th rows.—Work to end of row.

3rd row.—Work to last 16 sts., turn.

5th row.—Work to last 25 sts., turn.

6th row.—Work to end of row. Cast off.

Join in wool at neck edge, and work on remaining sts. to correspond with other side, omitting K.2 tog. at centre front.

[*Continued on page 19*



Graham

IN TWO SIZES—ILLUSTRATED AT RIGHT AND ON BACK COVER

PATONS AZALEA CROCHET WOOL

Size A. 35-36 inch chest. **Grey** .... **6 ozs.** **Maroon** .... **2 ozs.** **Blue** .... **1 oz.**
Size B. 38-39 inch chest. **Grey** .... **8 ozs.** **Maroon** .... **2 ozs.** **Blue** .... **1 oz.**
Length from top of shoulder. **Size A** .... 23 ins. **Size B** .... 24½ ins.
Parfrey Knitting Needles, 1 pair each Nos. 9 and 12, measured on a Beehive Needle Gauge.
One Stitch Holder.

ABBREVIATIONS: See page 17. G. = Grey. M. = Maroon. B. = Blue.

TENSION: To get these measurements it is absolutely necessary to work at a tension to produce 8½ stitches to the inch in width on No. 9 Needles. Check tension—see page 17.

Instructions are for smaller size A. Larger size B is shown thus [B—.....].

"CAMERON"

THE FRONT—Using No. 12 Needles and G., cast on 130 [**B**—144] stitches.

1st row.—K.2, * P.1, K.1, rep. from * to end of row.

Rep. 1st row forty-two times.

44th row.—Rib 5, [**B**—rib 10], * inc. once in next st., rib 4, rep. from * to end of row [**B**—to last 9 sts, rib 9]. (155 [**B**—169] sts.)

Using No. 9 Needles, proceed as follows (wrong side of work):—

N.B.—Slip all slip sts. purlways.

** **1st row.**—Using M., P.1, * slip 1, P.1, rep. from * to end of row.

2nd row.—Using M., * P.1, wool back, slip 1, wool front, rep. from * to last st., P.1.

3rd and 4th rows.—Using G., purl.

Rep. from 1st to 4th row incl. once.

9th row.—Using B., P.1, * slip 1, P.1, rep. from * to end of row.

10th row.—Using B., * P.1, wool back, slip 1, wool front, rep. from * to last st., P.1.

Rep. 3rd and 4th rows once. **

Rep. from ** to **, until work measures 13 [**B**—14½] ins. from commencement, ending with 10th row.

Cast off 8 [**B**—10] sts. at beg. of next 2 rows. ***

Dec. once at each end of needle in next and every alt. row, until 131 [**B**—141] sts. remain.

Work 1 row without shaping.

In next row.—K.2 tog., work 62 [**B**—67] sts. in patt., K.2 tog., turn, leave remaining sts. on a stitch holder. Continue in patt. on these 64 [**B**—69] sts., dec. once at beg. of needle in every alt. row, three [**B**—four] times, whilst at same time dec. once at neck edge in 6th row once. (60 [**B**—64] sts.)

Continue dec. at neck edge only in 6th [**B**—4th] row and every following 6th row, until 55 [**B**—59] sts. remain, then in every following 4th row, until 37 [**B**—41] sts. remain.

Work 8 [**B**—8] rows without shaping.

Shape shoulder as follows:—

1st row.—Work to last 9 [**B**—10] sts., turn.

2nd and 4th rows.—Work to end of row.

3rd row.—Work to last 18 [**B**—20] sts., turn.

5th row.—Work to last 27 [**B**—30] sts., turn.

6th row.—Like 2nd row. Cast off.

Join in wool at neck edge, and work on remaining sts. to correspond with other side, omitting K.2 tog. at centre front.

THE BACK—Work exactly as given for Front to ***.

Dec. once at each end of needle in next and every alt. row, until 123 [**B**—131] sts. remain.

Continue without shaping, until armholes measure same as Front armholes.

Shape shoulders as follows:—

1st and 2nd rows.—Work to last 9 [**B**—10] sts., turn.

3rd and 4th rows.—Work to last 18 [**B**—20] sts., turn.

5th and 6th rows.—Work to last 27 [**B**—30] sts., turn.

7th and 8th rows.—Work to last 37 [**B**—41] sts., turn.

9th row.—Work to end of row. Cast off.

THE NECK BAND—(Both Sizes). Using a fine back-stitch seam, sew up right shoulder seam.

[*Continued on page 12*

"GRAHAM"

Cameron

IN TWO SIZES—ILLUSTRATED AT LEFT AND ON BACK COVER

PATONS BEEHIVE FINGERING, 4-PLY—PATONISED, Shrink-Resistant

Size A. 36-37 inch chest. **Natural** .... **13 ozs.** **Rust** .... **1 oz.** **Green** .... **1 oz.**
Size B. 39-40 inch chest. **Natural** .... **15 ozs.** **Rust** .... **1 oz.** **Green** .... **1 oz.**
Length from top of shoulder. **Size A** .... 23½ ins. **Size B** .... 25 ins.
Length of sleeve from underarm **(Both Sizes)** .... 20 ins. (or length desired).
Parfrey Knitting Needles, 1 pair each Nos. 10 and 12, 1 set of four No. 12, measured on a Beehive Needle Gauge.

ABBREVIATIONS: See page 17. N. = Natural. R. = Rust. G. = Green.

TENSION: To get these measurements it is absolutely necessary to work at a tension to produce 7½ stitches to the inch in width on No. 10 Needles Check tension—see page 17.

Instructions are for smaller size A. Larger size B is shown thus [*B*—.....].

THE FRONT—Using No. 12 Needles and N., cast on 140 [**B**—156] stitches.

1st row.—K.3, * P.2, K.2, rep. from * to last st., K.1.

2nd row.—P.3, * K.2, P.2, rep. from * to last st., P.1.

Rep. 1st and 2nd rows twenty-two times, then 1st row once.

48th row.—Rib 3, [**B**—rib 4], * inc. once in next st., rib 18, [**B**—rib 20], rep. from * to last 4 [**B**—5] sts., inc. once in next st., rib 3, [**B**—rib 4]. (148 [**B**—164] sts.)

Using No. 10 Needles, proceed as follows:—

1st row.—K.5, * P.2, K.6, rep. from * to last 7 sts., P.2, K.5.

2nd row.—P.5, * K.2, P.6, rep. from * to last 7 sts., K.2, P.5.

Rep. 1st and 2nd rows, until work measures 14 [**B**—16] ins. from commencement, ending with 2nd row. **

Join in Rust and Green Wools.

Proceed as follows:—

1st row.—* K.1 R., K.1 G., rep. from * to end of row.

2nd row.—* P.1 R., P.1 G., rep. from * to end of row.

Rep. 1st and 2nd rows once.

5th row.—Using N., cast off 9 [**B**—13] sts., knit plain to end of row.

6th row.—Cast off 9 [**B**—13] sts., purl to end of row.

Work 4 rows in patt., 2 rows in N., 4 rows in patt., 2 rows in N., 5 rows in patt., dec. once at each end of needle in next and every alt. row, eight times. (112 [**B**—120] sts.)

Continue without shaping, working 5 rows in patt., 2 rows in N., 4 rows in patt., 2 rows in N., 10 rows in patt., 2 rows in N., 4 rows in patt. Break off R. and G.

Proceed in rib patt. as follows:—

1st row.—Knit plain.

2nd row.—P.3 [**B**—K.1, P.6], * K.2, P.6, rep. from * to last 5 [**B**—1] st/s., K.2, P.3 [**B**—K.1].

3rd row.—K.3, [**B**—P.1, K.6], * P.2, K.6, rep. from * to last 5 [**B**—1] st/s., P.2, K.3, [**B**—P.1].

Rep. 2nd and 3rd rows twice then 2nd row once.

In next row.—Work 44 [**B**—47] sts. in rib, cast off 24 [**B**—26] sts., work in rib to end of row.

Continue in rib on these 44 [**B**—47] sts., dec. once at neck edge in every row, until 40 [**B**—43] sts. remain, then in every 4th row, until 34 [**B**—37] sts. remain.

Work 11 rows without shaping.

Shape shoulder as follows:—

1st row.—Work to last 11 [**B**—12] sts., turn.

2nd row.—Work to end of row.

3rd row.—Work to last 22 [**B**—24] sts., turn.

4th row.—Like 2nd row. Cast off.

Join in N. at neck edge, and work on remaining sts. to correspond with other side.

THE BACK—Work as given for Front to **.

Work 4 rows in rib patt. without shaping.

Keeping continuity of rib patt., cast off 9 [**B**—13] sts. at beg. of next 2 rows, then dec. once at each end of needle in next and every alt. row, until 112 [**B**—120] sts. remain.

Continue in rib patt. without shaping, until armholes measure same as Front armholes.

Shape shoulders as follows:—

1st and 2nd rows.—Work to last 11 [**B**—12] sts., turn.
3rd and 4th rows.—Work to last 22 [**B**—24] sts., turn.
5th and 6th rows.—Work to last 34 [**B**—37] sts., turn.
7th row.—Work to end of row. Cast off.

THE SLEEVES—Using No. 12 Needles, cast on 72 [**B**—80] stitches.

1st row.—K.3, * P.2, K.2, rep. from * to last st., K.1.

2nd row.—P.3, * K.2, P.2, rep. from * to last st., P.1.

Rep. 1st and 2nd rows seventeen times.

Using No. 10 Needles, proceed as follows:—

1st row.—K.1, * K.6, P.2, rep. from * to last 7 sts., K.7.

2nd row.—K.1, * P.6, K.2, rep. from * to last 7 sts., P.7.

Rep. 1st and 2nd rows twice.

Continue in rib patt., inc. once at each end of needle in next and every following 8th row, until there are 108 [**B**—114] sts. on needle.

Continue without shaping, until work measures 20 ins. (or length desired) from commencement.

Dec. once at each end of needle in next and every alt. row, until 32 [**B**—36] sts. remain.

Work 1 row without shaping. Cast off.

Work another Sleeve in same manner.

THE NECK BAND.—(Both Sizes). Using a fine back-stitch seam, sew up shoulder seams.

With right side of work facing, using four No. 12 Needles and N., knit up 132 sts. evenly round neck.

1st round.—* K.2, P.2, rep. from * to end of round.

Rep. 1st round nine times. Cast off loosely in rib.

TO MAKE UP—With a slightly damp cloth and warm iron, press lightly. Using a flat seam for ribbing and a fine back-stitch seam for other seams, sew up side and sleeve seams. Sew in sleeves, placing seam to seam. Finally, press all seams.

Graham *(continued from page 10)*

With right side of work facing, using No. 12 Needles and G., knit up 85 sts. evenly along left side of neck (knitting up last st. from centre front), 84 sts. along right side of neck, and 47 sts. across back of neck (216 sts.).

Work 9 rows in K.1, P.1 rib, dec. once at each side of centre front of "V" in every row. Cast off in rib.

THE ARMHOLE BANDS—Using a fine back-stitch seam, sew up left shoulder seam.

With right side of work facing, and using No. 12 Needles and G., knit up 170 sts. evenly round armhole.

1st row.—K.2, * P.1, K.1, rep. from * to end of row.

Rep. 1st row eight times. Cast off in rib.

Work other Armhole Band in same manner.

TO MAKE UP—With a slightly damp cloth and warm iron, press lightly. Using a flat seam for ribbing and a fine back-stitch seam for other seams, sew up side seams. Finally, press all seams.

Dick *(continued from page 2)*

Rep. from ** to **, until work measures 14½ [**B**—15½] [**C**—16½] ins. from commencement, ending so that right side of work will be facing when working next row.

Cast off 8 [**B**—10] [**C**—12] sts. at beg. of next 2 rows. ***

In next row.—K.2 tog., work 58 [**B**—61] [**C**—63] sts. in patt., turn.

Continue in patt. on these 59 [**B**—62] [**C**—64] sts., dec. once at beg. of needle in every alt. row, seven [**B**—nine] [**C**—nine] times, whilst at same time dec. once at neck edge in every 4th [**B**—5th] [**C**—5th] row, three times. (49 [**B**—50] [**C**—53] sts.)

Continue dec. at neck edge only in 2nd row, then in every following 5th row, until 35 [**B**—37] [**C**—39] sts. remain.

Work 7 [**B**—8] [**C**—2] rows without shaping.

Shape shoulder as follows:—

1st row.—Work to last 9 [**B**—9] [**C**—10] sts., turn.

2nd and 4th rows.—Work to end of row.

3rd row.—Work to last 18 [**B**—18] [**C**—20] sts., turn.

5th row.—Work to last 27 [**B**—27] [**C**—30] sts., turn.

6th row.—Like 2nd row. Cast off.

Join in wool at neck edge and work on remaining sts. to correspond with other side.

THE BACK—Work as given for Front to ***.

Dec. once at each end of needle in next and every alt. row, until 104 [**B**—106] [**C**—112] sts. remain.

Continue without shaping, until armholes measure same as Front armholes.

Shape shoulders as follows:—

1st and 2nd rows.—Work to last 9 [**B**—9] [**C**—10] sts., turn.

3rd and 4th rows.—Work to last 18 [**B**—18] [**C**—20] sts., turn.

5th and 6th rows.—Work to last 27 [**B**—27] [**C**—30] sts., turn.

7th and 8th rows.—Work to last 35 [**B**—37] [**C**—39] sts., turn.

9th row.—Work to end of row. Cast off.

THE SLEEVES—Using No. 12 Needles, cast on 68 [**B**—70] [**C**—72] stitches.

1st row.—K.2, * P.1, K.1, rep. from * to end of row.

Rep. 1st row thirty-four times.

36th row.—Work 1 [**B**—2] [**C**—3] st./s. in rib * inc. once in next st., rib 4, rep. from * to last 2 [**B**—3] [**C**—4] sts., inc. once in next st., work 1 [**B**—2] [**C**—3] st./s. in rib (82 [**B**—84] [**C**—86] sts.)

Using No. 9 Needles, proceed as follows:—

1st row.—K.4, P.2, K.2, P.1, K.2, P.2, K.14, P.2, K.2, P.1, K.2, P.2, K.10, [**B**—K.12] [**C**—K.14], P.2, K.2, P.1, K.2, P.2, K.14, P.2, K.2, P.1, K.2, P.2, K.4.

2nd and alt. rows.—P.4, K.2, M.H., K.1, M.H., K.2, P.14, K.2, M.H., K.1, M.H., K.2, P.10, [**B**—P.12] [**C**—P.14], K.2, M.H., K.1, M.H., K.2, P.14, K.2, M.H., K.1, M.H., K.2, P.4.

3rd row.—K.4, P.2, K.2, P.1, K.2, P.2, C.3, K.2, C.3, P.2, K.2, P.1, K.2, P.2, K.10, [**B**—K.12] [**C**—K.14], P.2, K.2, P.1, K.2, P.2, C.3, K.2, C.3, P.2, K.2, P.1, K.2, P.2, K.4.

5th row.—Like 1st row.

7th row.—K.4, P.2, K.2, P.1, K.2, P.2, K.4, C.3, K.4, P.2, K.2, P.1, K.2, P.2, K.10, [**B**—K.12] [**C**—K.14], P.2, K.2, P.1, K.2, P.2, K.4, C.3, K.4, P.2, K.2, P.1, K.2, P.2, K.4.

8th row.—Like 2nd row.

Continue in patt., inc. once at each end of needle in next and every following 8th row, until there are 118 [**B**—120] [**C**—122] sts. on needle (working extra sts. in plain smooth fabric).

Continue without shaping, until side edge measures (all sizes) 20 ins. (or length desired) from commencement.

Cast off 4 [**B**—5] [**C**—6] sts. at beg. of next 2 rows, then dec. once at each end of needle in next and every alt. row, until 70 [**B**—70] [**C**—56] sts. remain, then in every row, until 32 [**B**—32] [**C**—34] sts. remain. Cast off.

Work another Sleeve in same manner.

THE NECK BAND—Using a fine back-stitch seam, sew up right shoulder seam.

With right side of work facing, and using No. 12 Needles, knit up 75 [**B**—79] [**C**—79] sts. along left side of neck (knitting up last st. from centre front), 74 [**B**—78] [**C**—78] sts. along right side of neck, and 36 [**B**—38] [**C**—38] sts. across back of neck. (185 [**B**—195] [**C**—195] sts.)

1st row.—K.2, * P.1, K.1, rep. from * to last st., P.1.

Work 7 rows in rib, dec. 1 st. at each side of centre point of "V" in every row. Cast off loosely in rib.

THE PULLOVER WITHOUT SLEEVES.

THE FRONT—Work as given for Pullover with Sleeves to **.

Rep. from ** to **, until work measures 13 [**B**—14] [**C**—14½] ins. from commencement, ending so that right side of work will be facing when working next row.

Cast off 8 [**B**—10] [**C**—12] sts. at beg. of next 2 rows. ***

Dec. once at each end of needle in next and every alt. row, until 112 [**B**—118] [**C**—120] sts. remain.

Work 1 row without shaping.

In next row.—K.2 tog., work 54 [**B**—57] [**C**—58] sts. in patt., turn.

Continue in patt. on these 55 [**B**—58] [**C**—59] sts., dec. once at beg. of needle in every alt. row, three [**B**—five] [**C**—three] times, whilst at same time dec. once at neck edge in next [**B**—5th] [**C**—next] row and following 5th row. (50 [**B**—51] [**C**—54] sts.)

Continue dec. at neck edge in 5th [**B**—5th] [**C**—4th] and every following 5th row, until 35 [**B**—37] [**C**—39] sts. remain.

Work 7 [**B**—8] [**C**—8] rows without shaping.

Shape shoulder as given for Pullover with Sleeves.

Join in wool at neck edge and work on remaining sts. to correspond with other side.

THE BACK—Work as given for Front to ***.

Dec. once at each end of needle in next and every alt. row, until 104 [**B**—106] [**C**—112] sts. remain.

Continue without shaping, until armholes measure same as Front armholes.

Shape shoulders as given for Pullover with Sleeves.

THE NECK BAND—Work as given for Pullover with Sleeves.

THE ARMHOLE BANDS—Using a fine back-stitch seam, sew up left shoulder seam.

With right side of work facing, and using No. 12 Needles, knit up 148 [**B**—168] [**C**—168] stitches evenly round armhole.

1st row.—K.2, * P.1, K.1, rep. from * to end of row.

Rep. 1st row seven times. Cast off loosely in rib.

Work other Armhole Band in same manner.

TO MAKE UP—With a slightly damp cloth and warm iron, press lightly. Using a flat seam for ribbing and a fine back-stitch seam for other seams, sew up left shoulder, side and sleeve seams. Sew in sleeves, placing seam to seam. For Pullover without Sleeves: Sew up side seams. Finally, press all seams.

Geoff *(continued from page 3)*

Work 39 [**B**—37] [**C**—39] rows without shaping.

In next row.—Work 41 [**B**—43] [**C**—45] sts. in patt., turn, leave remaining sts. on stitch holder.

Continue in patt. on these 41 [**B**—43] [**C**—45] sts., dec. once at end of needle in every alt. row, until 31 [**B**—33] [**C**—35] sts. remain.

Work 14 rows in patt. without shaping.

Shape shoulder as follows:—

1st row.—Work to last 8 [**B**—8] [**C**—9] sts., turn.

2nd and 4th rows.—Work to end of row.

3rd row.—Work to last 16 [**B**—16] [**C**—18] sts., turn.

5th row.—Work to last 24 [**B**—25] [**C**—27] sts., turn.

6th row.—Like 2nd row. Cast off.

Leave 23 sts. on stitch holder, join in wool, and work on remaining sts. to correspond with other side.

THE BACK—Work exactly as given for Front to ***.

Continue in patt. without shaping, until armholes measure same as Front armholes.

Shape shoulders as follows:—

1st and 2nd rows.—Work to last 8 [**B**—8] [**C**—9] sts., turn.

3rd and 4th rows.—Work to last 16 [**B**—16] [**C**—18] sts., turn.

5th and 6th rows.—Work to last 24 [**B**—25] [**C**—27] sts., turn.

7th and 8th rows.—Work to last 31 [**B**—33] [**C**—35] sts., turn.

9th row.—Work to end of row. Cast off.

THE SLEEVES—Using No. 12 Needles, cast on 58 [**B**—68] [**C**—78] stitches.

1st row.—K.2, * P.1, K.1, rep. from * to end of row.

Rep. 1st row thirty-five times, inc. once at end of needle in last row.

Using No. 9 Needles, proceed as follows:—

Work as given from ** to ** for Front once.

Keeping continuity of patt., inc. once at each end of needle in next and every following 8th row, until there are 101 [**B**—111] [**C**—121] sts. on needle.

Continue in patt. without shaping, until side edge measures 20 ins. (or length desired) from commencement.

Cast off 3 [**B**—5] [**C**—5] sts. at beg. of next 2 rows, then dec. once at each end of needle in next and every alt. row., until 71 [**B**—73] [**C**—83] sts. remain, then in every row, until 33 [**B**—37] [**C**—39] sts. remain.

Cast off.

Work another Sleeve in same manner.

THE NECK BAND—Using a fine back-stitch seam, sew up shoulder seams.

With right side of work facing, and using four No. 12 Needles, knit up 146 [**B**—146] [**C**—150] sts. evenly round neck (including sts. from stitch holder).

1st round.—* K.1, P.1, rep. from * to end of round

Rep. 1st round nine times. Cast off loosely in rib.

THE PULLOVER WITHOUT SLEEVES.

THE FRONT—Work as given for Front of Pullover with Sleeves to end of 10th row. **

Rep. from ** to ** nine [**B**—ten] [**C**—eleven] times.

B and **C** only.—Rep. from ** to 6th row incl. once.

Cast off 5 [**B**—7] [**C**—9] sts. at beg. of next 2 rows, then dec. once at each end of needle in next and every alt. row, until 105 [**B**—109] [**C**—113] sts. remain. ***

Work 47 [**B**—47] [**C**—49] rows without shaping.

In next row.—Work 41 [**B**—43] [**C**—45] sts. in patt., turn, leave remaining sts. on stitch holder.

Continue in patt., dec. once at end of needle in every alt. row, until 31 [**B**—33] [**C**—35] sts. remain.

Work 14 rows without shaping.

Shape shoulder as given for Pullover with Sleeves.

Leave 23 sts. on stitch holder, join in wool, and work on remaining sts. to correspond with other side.

THE BACK—Work as given for Front to ***.

Continue in patt. without shaping, until armholes measure same as Front armholes.

Shape shoulders as given for Pullover with Sleeves.

THE NECK BAND—Work as given for Pullover with Sleeves.

THE ARMHOLE BANDS—With right side of work facing, and using No. 12 Needles, knit up 154 [**B**—154] [**C**—168] stitches.

1st row.—K.2, * P.1, K.1, rep. from * to end of row.

Rep. 1st row nine times. Cast off in rib.

TO MAKE UP—With a slightly damp cloth and warm iron, press lightly. Using a flat seam for ribbing and a fine back-stitch seam for other seams, sew up side and sleeve seams. Sew in sleeves, placing seam to seam. For Pullover without Sleeves: Sew up side seams. Finally, press all seams.

Kevin *(continued from page 4)*

THE SLEEVES—Using No. 10 Needles, cast on 58 [**B**—58] stitches.

1st row.—K.2, * P.1, K.1, rep. from * to end of row.

Rep. 1st row twenty-three [**B**—twenty-nine] times.

Using No. 7 Needles, work as given from ** to ** for Front twice.

Keeping continuity of patt., inc. once at each end of needle in next and every following 8th [**B**—6th] row, until there are 84 [**B**—92] sts. on needle.

Continue in patt. without shaping, until work measures 20 ins. (or length desired) from commencement.

Dec. once at each end of needle in next and every alt. row, until 64 [**B**—72] sts. remain, then in every row, until 32 [**B**—36] sts. remain. Cast off.

Work another Sleeve in same manner.

THE ROUND NECK BAND—Using a fine back-stitch seam, sew up shoulder seams.

With right side of work facing, and using four No. 10 Needles, knit up 108 sts. evenly round neck (including sts. from stitch holders).

1st round.—* K.1, P.1, rep. from * to end of round.

Rep. 1st round for 2½ ins. Using a No. 7 Needle, cast off loosely in rib.

THE POLO COLLAR—Work 1st round of Round Neck Band for 5 ins. Using a No. 7 Needle, cast off loosely in rib.

TO MAKE UP—With a slightly damp cloth and warm iron, press lightly. Using a flat seam for ribbing and a fine back-stitch seam for all other seams, sew up side and sleeve seams. Sew in sleeves, placing seam to seam. Pullover with Round Neck: Fold Neck Band in half, and stitch down on wrong side to form a hem. Finally, press all seams.

Murray *(continued from page 5)*

Work 6 rows without shaping.

Shape shoulder as follows:—

1st row.—Work to last 7 [**B**—8] [**C**—9] sts., turn.

2nd row.—Work to end of row.

3rd row.—Work to last 14 [**B**—16] [**C**—18] sts., turn.

4th row.—Like 2nd row. Cast off.

Join in wool at neck edge, and work on remaining sts. to correspond with other side.

THE BACK—Work exactly as given for Front to***. Dec. once at each end of needle in next and every alt. row, until 74 [**B**—80] [**C**—86] sts. remain.

Continue in patt. without shaping, until armholes measure same as Front armholes.

Shape shoulders as follows:—

1st and 2nd rows.—Work to last 7 [**B**—8] [**C**—9] sts., turn.

3rd and 4th rows.—Work to last 14 [**B**—16] [**C**—18] sts., turn.

5th and 6th rows.—Work to last 22 [**B**—24] [**C**—26] sts., turn.

7th row.—Work to end of row. Cast off.

THE SLEEVES—Using No. 11 Needles, cast on 52 [**B**—52] [**C**—60] stitches.

1st row.—K.2, * P.1, K.1, rep. from * to end of row.

Rep. 1st row twenty-five times.

Using No. 7 Needles, proceed as follows:—

1st row.—P.1, [**B**—P.1] [**C**—K.4, P.1], * P.3, K.4, P.4, K.4, P.1, rep. from * to last 3 [**B**—3] [**C**—7] sts., P.3, [**B**—P.3] [C—P.3, K.4].

2nd row.—P.1, [**B**—P.1] [**C**—K.1, P.4], * K.2, P.4, K.6, P.4, rep. from * to last 3 [**B**—3] [**C**—7] sts., K.2, P.1, [**B**—K.2, P.1] [**C**—K.2, P.4, K.1].

3rd row.—K.1, [**B**—K.1] [**C**—P.2, K.3], * P.2, K.3, (P.2, K.1), twice, P.2, K.3, rep. from * to last 3 [**B**—3] [**C**—7] sts., P.2, K.1, [**B**—P.2, K.1] [**C**—P.2, K.3, P.2].

4th row.—P.1, * K.2, P.2, rep. from * to last 3 sts., K.2, P.1.

5th row.—K.1, [**B**—K.1] [**C**—K.2, P.2, K.1], * P.2, K.1, (P.2, K.3), twice, P.2, K.1, rep. from * to last 3 [**B**—3] [**C**—7] sts., P.2, K.1, [**B**—P.2, K.1] [**C**—P.2, K.1, P.2, K.2].

6th row.—K.1, [**B**—K.1] [**C**—P.3, K.2], * K.4, (P.4, K.2), twice, rep. from * to last 3 [**B**—3] [**C**—7] sts., K.3, [**B**—K.3] [**C**—K.4, P.3].

Keeping continuity of patt., inc. once at each end of needle in next and every following 8th row, until there are 78 [**B**—80] [**C**—84] sts. on needle.

Continue without shaping, until side edge measures (all sizes) 20 ins. (or length desired) from commencement.

Cast off 2 sts. at beg. of next 2 rows, then dec. once at each end of needle in next and every alt. row, until 36 [**B**—38] [**C**—40] sts. remain, then in every row, until 26 [**B**—28] [**C**—30] sts. remain. Cast off.

Work another Sleeve in same manner.

THE NECK BAND—Using a fine back-stitch seam, sew up right shoulder seam.

With right side of work facing, and using No. 11 Needles, knit up 70 [**B**—70] [**C**—74] sts. along left side of neck (knitting up last st. from centre front), 69 [**B**—69] [**C**—73] sts. along right side of neck, and 28 [**B**—28] [**C**—28] sts. across back of neck. (167 [**B**—167] [**C**—175] sts.)

Work 8 rows in K.1, P.1 rib, dec. 1 st. at each side of centre point of "V" in every row.

THE "V" NECK PULLOVER WITHOUT SLEEVES.

THE FRONT—Work as given for Pullover with Sleeves to end of 6th row. **

Rep. from ** to ** eleven [**B**—twelve] [**C**—thirteen] times, then 1st and 2nd rows once.

Cast off 6 [**B**—7] [**C**—8] sts. at beg. of next 2 rows. ***

Dec. once at each end of needle in next and every alt. row, until 76 [**B**—82] [**C**—88] sts. remain.

Work 1 row without shaping.

In next row.—K.2 tog., work 36 [**B**—39] [**C**—42] sts. in patt., turn.

Continue in patt. on these 37 [**B**—40] [**C**—43] sts., dec. once at neck edge in every following 4th row, until 22 [**B**—24] [**C**—26] sts. remain.

Work 6 rows without shaping.

Shape shoulder as given for Pullover with Sleeves.

Join in wool at neck edge, and work on remaining sts. to correspond with other side.

THE BACK—Work as given for Front to ***.

Dec. once at each end of needle in next and every alt. row, until 74 [B—80] [C—86] sts. remain.

Continue in patt. without shaping, until armholes measure same as Front armholes.

Shape shoulders as given for Pullover with Sleeves.

THE NECK BAND—Work as given for Pullover with Sleeves.

THE ARMHOLE BANDS—Using a fine back-stitch seam, sew up left shoulder seam.

With right side of work facing, and using No. 11 Needles, knit up 156 [B—156] [C—160] sts. evenly round armhole.

1st row.—K.2, * P.1, K.1, rep. from * to end of row.

Rep. 1st row seven times. Cast off in rib.

Work other Armhole Band in same manner.

THE PULLOVER WITH POLO NECK.

THE FRONT—Work exactly as given for "V" Neck Pullover with Sleeves to ***.

Dec. once at each end of needle in next and every alt. row, until 74 [B—80] [C—86] sts. remain

Work 37 [B—39] [C—43] rows without shaping.

In next row.—Work 29 [B—31] [C—33] sts. in patt., turn.

Continue on these 29 [B—31] [C—33] sts., dec. once at neck edge in every alt. row, until 22 [B—24] [C—26] sts. remain.

Work 4 rows without shaping.

Shape shoulder as given for Pullover with Sleeves.

Slip next 18 [B—20] [C—22] sts. on to a stitch holder, join in wool at neck edge, and work on remaining sts. to correspond with other side.

THE BACK—Work as given for "V" Neck Pullover with Sleeves.

THE SLEEVES—Work as given for "V" Neck Pullover with Sleeves.

THE POLO COLLAR (All Sizes)—Using a fine back-stitch seam, sew up shoulder seams.

With right side of work facing, and using four No. 11 Needles, knit up 116 sts. evenly round neck (including sts. from stitch holder).

1st round.—* K.1, P.1, rep. from * to end of round.

Rep. 1st round for 5 ins. Cast off loosely in rib.

TO MAKE UP—With a slightly damp cloth and warm iron, press lightly. Using a flat seam for ribbing and a fine back-stitch seam for other seams, sew up left shoulder, side and sleeve seams. Sew in sleeves, placing seam to seam. For Pullover without Sleeves: Sew up side seams. Finally, press all seams.

Phillip *(continued from page 6)*

Dec. once at each end of needle in next and every alt. row, until 120 [B—126] [C—134] sts. remain.

Continue in patt. without shaping, until armholes measure same as Front armholes.

Shape shoulders as follows:—

1st and 2nd rows.—Work to last 9 [B—10] [C—10] sts., turn.

3rd and 4th rows.—Work to last 18 [B—20] [C—20] sts., turn.

5th and 6th rows.—Work to last 28 [B—30] [C—31] sts., turn.

7th and 8th rows.—Work to last 38 [B—40] [C—42] sts., turn.

9th row.—Work to end of row. Cast off.

THE SLEEVES—Using No. 12 Needles, cast on 80 [B—80] [C—84] stitches.

1st row.—K.2, * P.1, K.1, rep. from * to end of row.

Rep. 1st row thirty-nine times.

Using No. 10 Needles, proceed as follows [A and B alike]:—

1st row.—P.2, K.6, [C—"Twist A," P.2, K.6], * P.2, ("Twist A"), twice, P.2, K.6, rep. from * to last 2 [C—4] sts., P.2, [C—P.2, "Twist A"].

2nd row.—K.2, P.6, [C—"Twist B", K.2, P.6], * K.2, ("Twist B"), twice, K.2, P.6, rep. from * to last 2 [C—4] sts., K.2, [C—K.2, "Twist B"].

Keeping continuity of patt., inc. once at each end of needle in next and every following 8th row, until there are 118 [C—122] sts. on needle.

Continue without shaping, until work measures 20 ins. (or length desired) from commencement.

Cast off 4 [C—4] sts. at beg. of next 2 rows, then dec. once at each end of needle in next and every alt. row, until 46 [C—46] sts. remain, then in every row, until 32 [C—32] sts. remain. Cast off.

Work another Sleeve in same manner.

THE NECK BAND—Using a fine back-stitch seam, sew up right shoulder seam.

With right side of work facing, and using No. 12 Needles, knit up 85 [B—85] [C—89] sts. along left side of neck (knitting up last st. from centre front), 84 [B—84] [C—88] sts. along right side of neck, and 43 [B—45] [C—47] sts. across back of neck. (212 [B—214] [C—224] sts.)

Work 9 rows in K.1, P.1 rib, dec. once at each side of centre point of "V" in every row. Cast off in rib.

THE PULLOVER WITHOUT SLEEVES.

THE FRONT—Work exactly as given for Front of Pullover with Sleeves to **.

Rep. from ** to **, until work measures 14 [**B**—14½] [**C**—15] ins. from commencement, ending with 2nd row.

Cast off 8 [**B**—10] [**C**—11] sts. at beg. of next 2 rows, then dec. once at each end of needle in next and every alt. row, until 124 [**B**—132] [**C**—142] sts. remain. ***

Work 1 row without shaping.

In next row.—K.2 tog., work 58 [**B**—62] [**C**—67] sts. in patt., K.2 tog., turn.

Continue on these 60 [**B**—64] [**C**—69] sts., dec. once at beg. of needle in every alt. row, once [**B**—twice] [**C**—three times], whilst at same time dec. once at neck edge in following 4th row [**B**—once] [**C**—once]. (59 [**B**—61] [**C**—65] sts.)

Continue dec. at neck edge only in 2nd [**B**—4th] [**C**—2nd] and every following 4th row, until 38 [**B**—40] [**C**—42] sts. remain.

Work 6 [**B**—4] [**C**—2] rows without shaping.

Shape shoulder as given for Pullover with Sleeves.

Join in wool at neck edge, and work on remaining sts. to correspond with other side.

THE BACK—Work as given for Front to ***.

Dec. once at each end of needle in every alt. row, until 120 [**B**—126] [**C**—134] sts. remain.

Continue in patt. without shaping, until armholes measure same as Front armholes.

Shape shoulders as given for Pullover with Sleeves.

THE NECK BAND—Work as given for Pullover with Sleeves.

THE ARMHOLE BANDS—Using a fine back-stitch seam, sew up left shoulder seam.

With right side of work facing, and using No. 12 Needles, knit up 186 [**B**—186] [**C**—196] sts. evenly round armhole.

1st row.—K.2, * P.1, K.1, rep. from * to end of row.

Rep. 1st row eight times. Cast off in rib.

Work other Armhole Band in same manner.

TO MAKE UP—With a slightly damp cloth and warm iron, press lightly. Using a flat seam for ribbing and a fine back-stitch seam for other seams, sew up left shoulder, side and sleeve seams. Sew in sleeves, placing seam to seam. For Pullover without Sleeves: Sew up side seams. Finally, press all seams.

Wayne *(continued from page 7)*

THE LEFT FRONT—Using No. 12 Needles, cast on 62 [**B**—70] [**C**—78] stitches.

1st row.—* K.1, P.1, rep. from * to last 2 sts., K.2.

P&B WOOLS

SOME IMPORTANT INFORMATION

Avoid disappointment—buy the wool recommended. Buy wisely — buy enough —the same blend cannot be repeated.

P&B WOOLS

TENSION is the number of stitches in width to measure one inch. On this depends the success of the finished article. Before commencing work, always check your tension by knitting a small sample (cast on the number of stitches to knit a sample two inches in width) and work approximately two inches—one row knit, one row purl. Cast off; press lightly on the wrong side. If you have fewer stitches to the inch than the tension given, then try a size finer needle. If you have more stitches to the inch than the tension given, then try a size coarser needle.

If you knit to the correct tension in Stocking Stitch you will knit to the correct tension for any stitch in this book. If you alter the needles to obtain the correct tension in Stocking Stitch, corresponding alterations must be made to the needles throughout.

ABBREVIATIONS:

K. = Knit plain
P. = Purl
sts. = stitches
ins. = inches
wl. fwd. = wool forward
p.s.s.o. = pass slip stitch over
w.o.n. = wool over needle
w.r.n. = wool round needle
t.b.l. = through the back of the loop
tog. = together
beg. = beginning
inc. = increase
dec. = decrease
alt. = alternate
rep. = repeat
patt. = pattern
incl. = inclusive
Garter Stitch = every row plain
ch. = chain
tr. = treble
s.c. = single crochet
d.c. = double crochet
l.tr. = long treble (wool over hook twice)
sl. st. = slip stitch
sp. = space

When the instructions read: "Cast off 2 stitches, K.2" (or similar stitches), the stitch on the right-hand needle, after casting off, is counted as one stitch.

Work to correspond with Right Front, working pocket and shapings at opposite ends of needle.

THE BACK—Using No. 12 Needles, cast on 124 [**B**—140] [**C**—156] stitches.

1st row.—K.2, * P.1, K.1, rep. from * to end of row.

Rep. 1st row twenty-one times, inc. once at beg. of needle in last row.

Using No. 10 Needles, proceed as follows:—

** **1st row.**—* K.1, P.1, rep. from * to last st., K.1.

2nd row.—Purl. **

Rep. from ** to **, until work measures 14¾ [**B**—16¾] [**C**—16¾] ins. from commencement, ending with 2nd row.

Cast off 6 [**B**—10] [**C**—14] sts. at beg. of next 2 rows, then dec. once at each end of needle in next and every alt. row, until 95 [**B**—103] [**C**—111] sts. remain.

Continue in patt. without shaping, until armholes measure same as Front armholes.

Shape shoulders as follows:—

1st and 2nd rows.—Work to last 9 [**B**—10] [**C**—10] sts., turn.

3rd and 4th rows.—Work to last 18 [**B**—20] [**C**—20] sts., turn.

5th and 6th rows.—Work to last 27 [**B**—30] [**C**—31] sts., turn.

7th and 8th rows.—Work to last 36 [**B**—38] [**C**—41] sts., turn.

9th row.—Work to end of row. Cast off.

THE SLEEVES—Using No. 12 Needles, cast on 72 [**B**—72] [**C**—78] stitches.

1st row.—K.2, * P.1, K.1, rep. from * to end of row.

Rep. 1st row thirty-five times, inc. once at beg. of needle in last row.

Using No. 10 Needles, work in patt. as given from ** to ** for Back, inc. once at each end of needle in 7th and every following 8th row, until there are 105 [**B**—105] [**C**—111] sts. on needle.

Continue in patt. without shaping, until work measures 20 ins. (or length desired) from commencement.

Cast off 8 sts. at beg. of next 2 rows, then dec. once at each end of needle in next and every alt. row, until 29 [**B**—29] [**C**—31] sts. remain. Cast off.

Work another Sleeve in same manner.

THE FRONT BAND—Using No. 12 Needles, cast on 11 stitches.

1st row.—K.2, * P.1, K.1, rep. from * to last st., K.1.

2nd row.—* K.1, P.1, rep. from * to last st., K.1.

Rep. 1st and 2nd rows once.

5th row.—Work 4 sts. in rib, cast off 3 sts., work in rib to end of row.

6th row.—Work 4 sts. in rib, cast on 3 sts., work in rib to end of row.

Continue in rib, making a buttonhole as before in 13th and 14th rows from previous buttonhole, until nine [**B**—ten] [**C**—eleven] buttonholes have been worked.

Continue without further buttonholes, until band measures required length to fit along fronts and across back of neck. Cast off in rib.

TO MAKE UP—With a slightly damp cloth and warm iron, press lightly. Using a flat seam for ribbing and a fine back-stitch seam for other seams, sew up side, shoulder and sleeve seams. Sew in sleeves, placing seam to seam. Sew pocket linings in position on wrong side. Using a fine back-stitch seam, sew band along fronts and across back of neck, noting that last buttonhole will come 1 inch below first dec. Sew on buttons to correspond with buttonholes. Finally, press all seams.

Frank *(continued from page 8)*

Using Grey Wool, work 12 rows in plain smooth fabric. **

Rep. from ** to ** once, then 1st to 4th row incl. once.

Keeping continuity of patt., cast off 8 [**B**—8] sts. at beg. of next 2 rows, then dec. once at each end of needle in next and every alt. row, seven times. (113 [**B**—121] sts.) ***

Work 33 rows in patt. without shaping.

Next row.—K.42, [**B**—K.46], cast off 29 [**B**—29] sts., K.42, [**B**—K.46].

Continue on these 42 [**B**—46] sts., dec. once at neck edge in every row, until 33 [**B**—37] sts. remain.

Work 8 rows in patt. without shaping.

Shape shoulder as follows:—

1st row.—Work to last 11 [**B**—12] sts., turn.

2nd row.—Work to end of row.

3rd row.—Work to last 22 [**B**—24] sts., turn.

4th row.—Like 2nd row. Cast off.

Join in wool at neck edge, and work on remaining sts. to correspond with other side.

THE BACK—Work exactly as given for Front to ***.

Continue in patt. without shaping, until armholes measure same as Front armholes.

Shape shoulders as follows:—

1st and 2nd rows.—Work to last 11 [**B**—12] sts., turn.

3rd and 4th rows.—Work to last 22 [**B**—24] sts., turn.

5th and 6th rows.—Work to last 33 [**B**—37] sts., turn.

7th row.—Work to end of row. Cast off.

THE SLEEVES—(Both Sizes). Using No. 12 Needles and Grey Wool, cast on 64 stitches.

1st row.—K.2, * P.1, K.1, rep. from * to end of row.

Rep. 1st row twenty-nine times, inc. once at end of needle in last row.

Using No. 9 Needles, proceed as follows:—

1st row.—Knit plain. **2nd row.**—Purl.

Join in G and R, and work as given for Front from ** to ** for Size **A**, three times, whilst at same time inc. once at each end of needle in 3rd and every following 6th row. (109 sts.)

Work 4 rows without shaping.

Cast off 6 sts. at beg. of next 2 rows, then dec. once at each end of needle in next and every alt. row, until 63 sts. remain, then in every row, until 31 sts. remain.

Cast off.

Work another Sleeve in same manner.

THE NECK BAND—Using a fine back-stitch seam, sew up shoulder seams.

With right side of work facing, using four No. 12 Needles and Grey Wool, knit up 128 sts. evenly round neck.

1st round.—* K.1, P.1, rep. from * to end of round.

Rep. 1st round seven times. Cast off loosely in rib.

TO MAKE UP—With a slightly damp cloth and warm iron, press lightly. Using a flat seam for ribbing, and a fine back-stitch seam for other seams, sew up side and sleeve seams. Sew in sleeves, placing seam to seam. Finally, press all seams.

Alan *(continued from page 9)*

THE BACK—Work exactly as given for Front to **.

Continue in patt., dec. once at each end of needle in next and every alt. row, until 117 sts. remain.

Continue without shaping, until armholes measure same as Front armholes.

Shape shoulders as follows:—

1st and 2nd rows.—Work to last 8 sts., turn.

3rd and 4th rows.—Work to last 16 sts., turn.

5th and 6th rows.—Work to last 25 sts., turn.

7th and 8th rows.—Work to last 34 sts., turn.

9th row.—Work to end of row. Cast off.

THE NECK BAND—Using a fine back-stitch seam, sew up right shoulder seam.

With right side of work facing, using No. 12 Needles and Natural, knit up 81 sts. along left side of neck (knitting up last st. from centre front), 80 sts. along right side of neck, and 48 sts. across back of neck. (209 sts.)

1st row.—K.2, (P.1, K.1), sixty-three times, P.1, (K.1, P.1), forty times.

Work 10 rows in rib, dec. 1 st. at each side of centre point of "V" in next and every alt. row. Cast off in rib.

THE ARMHOLE BANDS—Using a fine back-stitch seam, sew up left shoulder seam.

With right side of work facing, using No. 12 Needles and Natural, knit up 176 sts. evenly round armhole.

1st row.—K.2, * P.1, K.1, rep. from * to end of row.

Rep. 1st row ten times. Cast off in rib.

Work other Armhole Band in same manner.

TO MAKE UP—With a slightly damp cloth and warm iron, press lightly. Using a flat seam for ribbing and a fine back-stitch seam for other seams, sew up side seams. Finally, press all seams.

P&B WOOLS

Wholly Set up and Printed in Australia

Trade Marks Registered in Australia

Published With All Rights Reserved by

PATONS & BALDWINS
(AUSTRALIA) LIMITED

Registered Office: 84-94 Flinders Lane, MELBOURNE C1

SYDNEY BRANCH: 181 Clarence Street

No. 382

Patons KNITTING BOOK

No. 382

1/6 d.

"CAMERON"– See page 11

"GRAHAM"– See page 10

P&B WOOLS